

Safety Data Sheet

F220C REDUCER

Safety Data Sheet dated 10/3/2009, version 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Trade name: F220C REDUCER
Trade code: IF220C
Product type and use: VARNISH THINNER
Company:
ELANTAS Deatech Srl - Zona Industriale Campolungo, 35 - 63100 Ascoli Piceno - ITALY
Tel. +39 0736 3081 - Fax +39 0736 402746
Emergency telephone number of the company and/or of an authorised advisory centre:
ELANTAS Deatech Srl - tel. +39 0736 3081 - fax +39 0736 402746

Competent person responsible for the safety data sheet:
MSDS.ELANTAS.Deatech@altana.com

2. HAZARDS IDENTIFICATION

The product is a liquid that can catch fire at temperatures in excess of 21 °C if exposed to an ignition source.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical characterization: F220C REDUCER
90% - 100% 1-methoxy-2-propanol
N.67/548/CEE: 603-064-00-3 CAS: 107-98-2 EC: 203-539-1
R10; substance with a Community workplace exposure limit

4. FIRST AID MEASURES

Contact with skin:
Wash with plenty of water and soap.
Contact with eyes:
Wash immediately with water for at least 10 minutes.
Swallowing:
Induce vomiting. SEEK A MEDICAL EXAMINATION IMMEDIATELY and present the safety-data sheet.

A suspension of activated charcoal in water, or liquid paraffin may be administered.
Inhalation:
Ventilate the premises. The patient is to be removed immediately from the contaminated premises and made to rest in a well ventilated area. Should the patient feel unwell, OBTAIN MEDICAL ATTENTION.

5. FIRE-FIGHTING MEASURES

Recommended extinguishing agents:
CO2 or dry chemical powder.
Extinguishing agents not to be used:

Safety Data Sheet

F220C REDUCER

Water jet - risk of propagation of the flame

Risks arising from combustion:

During combustion the preparation may release carbon dioxide, carbon monoxide, nitrogen oxides and black, dense smoke.

Avoid inhaling the fumes.

Product is flammable. Cool down the containers exposed to the fire with water to prevent bursting.

Protective equipment for fire-fighting personnel:

Personal protection typical in case of fire. Wear suitable respiratory protection.

6. ACCIDENTAL RELEASE MEASURES

Measures for personal safety:

Use gloves and protective clothing.

Keep other people out. Avoid contact with skin and eyes. Do not breathe vapours. Keep the proper ventilation. See section 8.

Environmental measures:

Do not allow the product to contaminate surface, water/ground water. Limit leakages with earth or sand.

Eliminate all unguarded flames and possible sources of ignition. Do not smoke.

If the product has escaped into a water course, into the drainage system, or has contaminated the ground or vegetation, notify the competent authorities.

Cleaning methods:

If the product is in a liquid form, stop it from entering the drainage system.

Recover the product for re-use if possible, or for elimination. The product might, where appropriate, be absorbed by inert material.

After the product has been recovered, rinse the area and materials involved with water.

7. HANDLING AND STORAGE

Handling precautions:

Avoid contact and inhalation of the vapours. See, too, paragraph 8 below.

Takes precautionary measures against static discharges - ground connect all equipment.

Wear antistatic protective clothes.

Do not eat or drink while working.

Do not smoke while working.

Incompatible materials:

None in particular.

Storage conditions:

Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight.

Instructions as regards storage premises:

Cool and adequately ventilated.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Precautionary measures:

Use the product in accordance with good occupational hygiene and safety practices.

Before break and after work carefully wash hands. Take off dirty cloth immediately. Avoid contact with skin and eyes. When handling do not eat, drink or smoke, take a medicine.

Safety Data Sheet

F220C REDUCER

Give adequate ventilation to the premises where the product is stored and/or handled.

Respiratory protection:

Not needed for normal use.

Protection for hands:

Not needed for normal use.

Eye protection:

Not needed for normal use.

Protection for skin:

No special precaution must be adopted for normal use.

Components with Occupational Exposure Limit(s), that require monitoring at the workplace (ACGIH):

1-methoxy-2-propanol

VLE 8h: 375 mg/m³ - 100 ppm VLE short: 568 mg/m³ - 150 ppm TLV TWA: 100 ppm
- 368,59 mg/m³ TLV STEL: 150 ppm - 552,88 mg/m³

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and colour:	Colourless liquid
Odour:	Typical
pH:	N.A.
Melting point:	N.A.
Boiling point:	120 °C
Flash point:	38 °C
Solid/gas flammability:	N.A.
Autoignition temperature:	270 °C
Explosive properties:	LEL 1,9% - UEL 13%
Oxidizing properties:	NO
Vapour pressure:	N.A.
Relative density:	920 g/l @ 20°C
Solubility in water:	MOLTO BUONA
Lipid solubility:	N.A.
Partition c. (n-octanol/H ₂ O):	N.A.
Vapour density (air= 1):	CIRCA 1

10. STABILITY AND REACTIVITY

Conditions to avoid:

Stable under normal conditions. Avoid high temperature.

Substances to avoid:

Keep away from oxidizing agents, sources of ignition and heat. The product could catch fire.

Hazardous decomposition products:

None.

See also Section 5

It may generate flammable gases on contact with elementary metals (alkalis and alkaline earth), nitrides, and powerful reducing agents.

It may catch fire on contact with oxidising mineral acids, elementary metals (alkalis and alkaline earth), nitrides, organic peroxides and hydroperoxides, oxidising agents, and reducing agents.

Safety Data Sheet

F220C REDUCER

11. TOXICOLOGICAL INFORMATION

1-methoxy-2-propanol
LD50 (RABBIT) ORAL: 8 G/KG (8000 MG/KG)

12. ECOLOGICAL INFORMATION

Adopt good working practices, so that the product is not released into the environment.

13. DISPOSAL CONSIDERATIONS

Recover if possible. In so doing, comply with the local and national regulations currently in force.

Where applicable, refer to the following regulatory provisions : 91/156/EEC, 91/689/EEC, 94/62/EC and subsequent amendments.

14. TRANSPORT INFORMATION

ADR-UN Number:	1263
ADR-Class:	3
ADR-HI number:	30
ADR-Shipping Name:	PAINT or PAINT RELATED MATERIAL
ADR-Packing Group:	III
ADR-S.P.:	640E
IATA-UN Number:	1263
IATA-Class:	3
IATA-Shipping Name:	PAINT or PAINT RELATED MATERIAL
IATA-Passenger Aircraft:	309
IATA-Cargo Aircraft:	310
IATA-Label:	Flamm. Liquid
IATA-Packing group:	III
IATA-ERG:	3L
IMDG-Marine pollutant:	Marine Pollutant
IMDG-UN Number:	1263
IMDG-Class:	3
IMDG-Shipping Name:	PAINT or PAINT RELATED MATERIAL
IMDG-Packing group:	III
IMDG-EmS:	F-E , <u>S-E</u>
IMDG-Storage category:	A

15. REGULATORY INFORMATION

Council Directive 67/548/EEC (Classification, packaging and labelling of dangerous substances) and subsequent amendments. Council Directive 1999/45/EC (Classification, packaging and labelling of dangerous preparations) and subsequent amendments. Commission Directive 98/24/EC (Protection of the health and safety of workers from the risk related to chemical agent). Commission Directive 2000/39/EC (Occupational exposure limit values). Regulation (EC) No 1907/2006 (REACH).

Safety Data Sheet

F220C REDUCER

R Phrases:

R10 Flammable.

S Phrases:

S2 Keep out of reach of children.

S24 Avoid contact with skin.

Contents:

1-methoxy-2-propanol

Special Provisions:

EC label.

Where applicable, refer to the following regulatory provisions :

Directive 96/82/CE ('Activities linked to risks of serious accidents') and subsequent amendments.

Regulation (EC) nr 648/2004 (detergents).

16. OTHER INFORMATION

Text of R phrases referred to under heading 3:

R10 Flammable.

Paragraphs modified from the previous revision:

13. DISPOSAL CONSIDERATIONS

15. REGULATORY INFORMATION

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

ACGIH - Threshold Limit Values - 2004 edition

ADR 2009

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.
